

ADOPTION RESOURCES FOR YOUR NEW CAT

- The Basics (Food, Water, Litterbox)
- Connect with Us
- Tips for a Happy Cat (Carriers, Scratching Surfaces, Playtime, DIY Enrichment)
- Introducing Your Cat to a New Cat

- Tips for Multi-Cat Households
- Help Resources
- Microchip Information
- Seeking Veterinary Attention
- Cat Body Language

Congratulations on Your Cat Adoption!



It is so exciting to bring home a new companion! If you need any behavioral support along the way, please fill out our FREE Behavior and Enrichment Helpline form at mohawkhumane.org/behavior-helpline.

THE BASICS

Food: The Mohawk Hudson Humane Society feeds Hill's Science Diet. Please read this chart to determine the correct amount you should be feeding your cat. If you have questions, please consult your family veterinarian.

Dry Food per day*		
Cat Weight	Daily Serving	
0-5 pounds	$^{1}\!/_{4}$ cup	
5-10 pounds	$^{3}/_{8} \mathrm{cup} \text{-} ^{1}\!/_{2} \mathrm{cup}$	
10-15 pounds	$^{1}/_{2}$ cup - $^{2}/_{3}$ cup	
15+ pounds	$^{2}/_{3}$ cup - $^{3}/_{4}$ cup	

Wet Food per day*		
Cat Weight	Daily Serving	
0-5 pounds	3 oz 5 oz.	
5-10 pounds	5 oz 8 oz.	
10-15 pounds	8 oz 10 oz.	
15+ pounds	10 oz.+	

*half amount for two feedings (if using)

If you wish to change the brand of food, we recommend that you purchase another nutritious cat food and introduce it gradually by mixing the new food in with the current food. Switching food too quickly may cause vomiting or diarrhea.

Water: Provide fresh water in a clean bowl daily. Your cat should have access to fresh water at all times.

Litter Box: Place an appropriately sized litter box with approximately 1-2 inches of litter in a quiet but accessible location. If you have a covered litter box, remove the cover for the first week to allow your cat to get used to the new litter box.

The Honeymoon Stage: There will likely be an adjustment period for both you and your new pet. There may be times when you feel overwhelmed. It's important to remember that during the transition period, your cat/kitten may display behaviors that were not discussed at the time of adoption. It's normal and to be expected. It may take time for your new pet to adjust to your routine. Give your new pet all the time they need to feel comfortable and to adjust to their new family. If you have any questions about your cat's behavior, we encourage you to keep a journal of the behavior and contact us through our FREE Behavior and Enrichment Helpline at mohawkhumane.org/behavior-helpline. We typically respond to requests within 48 hours.

CONNECT WITH US!



You can find us on Facebook, Instagram, and LinkedIn @mohawkhumane.

^{*}half amount for two feedings

Tips for a Happy Cat





TAKE IT SLOW

Cats can be easily overwhelmed by new spaces, so when you first get home, set your cat up in a small, quiet room. Keep the door closed. Be sure your cat has access to comfy bedding, hiding spots, toys, food, water, a scratcher, and a litter box. Interact with your cat on their terms – sit a few feet away from them and let them approach you for petting or attention. When your cat is moving around this space confidently, you can begin to slowly introduce them to the rest of your home. Some cats will settle in within a few hours, but most will need a few days or more.

LITTER BOX

Most cats do best with large, uncovered litter boxes. For kittens or senior cats, be sure the box has lower sides for easy access. Most cats prefer about 1"- 2" of unscented litter in the box. Place the box in a quiet area. Cats are more likely to consistently use the litter box when it is kept clean. We recommend you scoop twice a day and perform a full clean every two weeks. Use mild dish soap or a pet-friendly enzymatic cleaner (avoid bleach and other harsh chemicals for your full clean).

MAKE CARRIERS HAPPY PLACES

Getting your new cat used to the carrier means vet visits and travel will be much easier – and it's super easy to do! Just set the carrier up in a spot where your cat or kitten likes to hang out and keep it out all the time. Prop the door open, place some comfy bedding inside, and feed a treat in the carrier at least once a day. You can also use play to get your cat running in and out of the carrier. If your cat rests in their carrier regularly – mission accomplished!

SCRATCHING SURFACES

Cats have a need to scratch, so be sure to provide plenty of cat-friendly scratching surfaces. Most cats enjoy both horizontal cardboard scratchers and scratching posts (for posts, pick one that is sturdy and tall enough for your cat to get a good stretch). Reward your cat with treats and praise when they use their scratchers.

DAILY INTERACTIVE PLAYTIME

Playing with your cat is a great way for you to bond and help them feel less stressed. Cats love chasing, pouncing on, and leaping after wand toys. Keep play interesting by having a couple of different wand toys on daily rotation. When using wand toys, allow your cat to "catch" the toy a few times during play and end playtime with a yummy treat. A good play session can last from 10 to 15 minutes. Always use toys during play, and not your hands or feet. If your cat tries to play with hands or feet, become a statue by folding your arms, looking away, and waiting a few minutes before giving any more attention. Avoid petting or picking up during or directly after playtime.

Introducing Your Cat to a New Cat





If you're bringing a new cat into your home with a resident cat, the most important thing is to be patient. The introduction between two cats must be gradual and it can take a long time for a relationship to grow. The first impression a new cat makes when they meet your resident cat is critical. If two cats display aggression during their first meeting, this may set the mood for their future relationship.

If your resident cat becomes aggressive when they see other cats outside your home, you'll probably have a difficult time introducing a new cat into your household. If your cat has lived harmoniously with other cats in the past, the odds are good that they will adjust to a newcomer. However, it is generally not possible to predict whether any two individual cats will get along.

To set them up for success, be patient and follow these steps:

STEP 1: KEEP THE CATS SEPARATED

Just before you bring your new cat home, confine your resident cat to one room so the cats are unable to see each other. Do not give your resident cat an opportunity to approach the new cat in their carrier. This can be extremely frightening for the new cat.

Bring your new cat directly into their own quiet room. Be sure the door to this room stays closed. This will allow the two cats to smell and hear – but not see or touch – each other. This helps reduce stress by not overwhelming either cat with too much change too quickly.

Each cat should have essential items within their respective spaces: food, water bowl, litter box, scratching post, and places to hide (cardboard boxes make for easy and inexpensive hiding spots). Do your best to avoid changing your resident cat's environment and routine as much as possible: keep the same feeding schedule, avoid moving resources such as litter boxes or scratching posts, and give them plenty of your attention.

During this period of separation, teach the cats to associate each other's scent with positive experiences:

- Feed the cats treats near the door that separates them so they learn that coming together (even though they can't see each other) results in a pleasant experience.
- Offer each cat something that smells like the other cat, such as bedding or a towel rubbed on each cat's head and cheeks. Place a treat on the bed or towel to help the cats make a positive association with the other cat's smell.
- Play with each of the cats near the door. Encourage them to paw at toys under the door. Eventually, the cats may play "paws" under the door with each other.
- If your resident cat is not showing signs of stress and your new cat is exploring confidently, eating well, and using the litter box, switch the cats' locations so they can investigate each other's smell. This also allows your new cat to explore a different section of your home.

MOHAWK HUDSON HUMANE SOCIETY



STEP 2: LET THE CATS SEE EACH OTHER

Only move onto this step if there are no signs of aggression (hissing or growling), both cats are eating well, using their litter box, and otherwise not showing any signs of illness or stress. Remember to take it slow! You are helping the cats build a relationship that will continue to develop over time. There is no need to rush them – different cats go at different paces.

Before you start, decide if you will use a baby gate for this step or just crack the door open slightly. Your goal is to allow the cats to see each other, but not interact. If you use a gate, be sure it is securely in place before opening the door. Use this method with caution because a cat can easily jump over even a tall gate. Place two baby gates on top of one another if needed.

- If possible, have a friend or family member help, where one cat and one person are on each side of the door. Give each cat a play session followed by a meal before you start.
- Allow the cats to see each other. When either cat notices the other, offer that cat a tasty treat or play with a favorite toy. Do not force the cats to come closer to one another. It is important that the introduction goes at their pace.
- Avoid petting or holding either cat during these sessions. Being petted or handled can inadvertently cause stress and they could accidentally scratch you.
- Let the cats see each other for just a few minutes and end each session while both cats are still relaxed. Continue to keep the cats fully separated between these sessions.
- Over the next few days, continue to feed meals, offer treats, and play with the cats near the barrier. Gradually lengthen the amount of time the cats see each other.

STEP 3: LET THE CATS SPEND TIME TOGETHER

Hold off on this step until the cats are completely relaxed during step 2 and show no signs of conflict or aggression. Supervise these initial face-to-face interactions carefully and keep the interactions short at first.

- It is a good idea to play with each cat while they can see each other behind the barrier, feed them a meal, and then remove the barrier. This is so that both cats are feeling calm when they spend time together.
- Start with just a few minutes at a time, gradually increasing the time they spend together over several sessions. Carefully observe both cats for signs of stress and do not force them to approach each other.
- As the cats become more comfortable with each other, allow them longer and longer periods of time together.
- Keep a large towel handy just in case the cats begin to fight. If they do fight, do not touch them! Use the
 towel to block them from seeing one another, then lure them away from each other. Go back to step 2 for
 about another week, then try removing the barrier again.



Introducing Your Cat to a New Cat



ADDITIONAL TIPS FOR KEEPING THE PEACE IN A MULTI-CAT HOUSEHOLD

- Your cats will be more likely to get along if they're happy in their environment. Look at the layout of your home. Make sure there are always plenty of hiding spots for your cats. Some like to sit up high, on shelves or perches. Others tend to hide under and behind things, so make sure you provide hiding spots at floor level as well.
- Offer at least the same number of litter boxes as there are cats, but ideally one more (so if you have three cats, offer them all access to at least three litterboxes, but four is better). The litter boxes should be located in different areas of the home instead of side by side.
- Offer multiple scratching posts, resting/hiding spots, water bowls, feeding stations, and perches in different locations. When cats must compete for resources, it can increase the potential for conflict. It is especially important that food, water, and litter boxes are placed out in the open so your cats don't feel trapped or vulnerable when they access these resources.
- In addition to a well-designed home environment with plenty of access to resources, consider using a
 pheromone therapy called Feliway Multi-Cat. Available as a diffuser, this product is a copy of the feline
 appeasing pheromone mother cats produce during lactation and can provide a calming effect among the
 cats in your home. If using the diffuser, make sure it is in the proper size room. If it is in too large a room, it
 will be ineffective.
- If you're bringing a new cat into a household with multiple cats, introduce each resident cat to the newcomer individually. After each of your cats has met the new cat one-on-one and there are no signs of stress or aggression, you can start to allow all the cats to mingle as a group.
- When returning from a vet visit, even if just one of your cats went to the vet, it is always a good idea to
 keep the cats in separate rooms for at least a day. Smell is a key form of communication for cats and the
 smell of the vet's office can be interpreted as threatening.
- If one cat spends most of their time hiding or one cat continuously bullies the other cat, reach out for help (see below for our contact information or look for a certified professional). These types of interactions can cause other behavioral issues, such as litter box accidents, and the longer these behaviors happen, the harder they can be to fix.

ASK FOR HELP

If you need support, contact us at <u>mohawkhumane.org/behavior-helpline.</u> We understand taking a pet home can come with unexpected challenges and we are here to support you.



Microchip Information



WHAT IS A MICROCHIP?

All cats adopted from MHHS are sent home with an implanted microchip. This microchip, which is the size of a grain of rice, is the easiest way to help locate your cat if and when they go missing. Implanted with a large needle, a microchip takes seconds to implant, and most pets don't even feel when it's been inserted. MHHS believes that all cats, whether they go outside or not, should be microchipped. Microchips are implanted in between the shoulder blades but can move over time.



A microchip will contain contact information for an owner. Name, address, phone number, and email. At adoption, your information is automatically uploaded onto the microchip of your new cat. This information can and should be checked and updated whenever contact information changes (such as moving, a new phone number, a new owner, etc.). This is all done online. All microchip changes should be done at https://www.24petwatch.com/.

All pet owners should check that the information on their pet's microchip is accurate at least once a year.

HOW DO MICROCHIPS WORK?



<u>Microchips are NOT GPS trackers</u>. There is no tracking information contained in a microchip. MHHS is not able to track your cat to determine their location.

Information on microchips can be accessed through a microchip scanner. All shelters, animal control officers, and veterinary hospitals should have microchip scanners. When a chip is scanned, the person scanning will access a personalized code, which will then allow contact with the microchip company or the pet owner.

One of the first things shelters, animal control officers, and veterinary hospitals do with stray animals is scan for microchips with the hope of reuniting them with their owners. It is best to check your microchip annually to ensure that it is up-to-date.

Seeking Veterinary Attention



New pet ownership comes with a whole new set of responsibilities. It can be easy to worry when it appears your cat is doing something out of the norm. MHHS is here to help with limited veterinary options for the first two weeks post-adoption. MHHS recommends making an appointment with your family veterinarian as soon as possible to make your new cat a client. With the current veterinary shortage in the area, there are often long wait times to become a new patient.

MHHS offers discounted preventative medication for fleas for the first year post-adoption and can be purchased onsite. Your cat is up-to-date on age-appropriate vaccinations at the time of adoption. This means they are up-to-date for FVRCP (good for Feline Viral Rhinotracheitis, Feline Calicivirus, and Feline Panleukopenia) and Rabies. Your cat has also been tested for FeLV (Feline Leukemia Virus) and FIV (Feline Immunodeficiency Virus), but you should have your family veterinarian re-test.

Whether you choose to purchase preventative through MHHS or elsewhere, it is recommended that your cat receives a dose monthly. After initial dosages, vaccinations for FVRCP and rabies can be every three years.


WHEN TO SEEK VETERINARY ATTENTION

Here is a list of times we recommend seeking veterinary attention:

- Severe bleeding or bleeding that doesn't stop within five minutes
- · Choking, difficulty breathing, or nonstop coughing and gagging
- Bleeding from nose, mouth, rectum, coughing up blood, or blood in urine
- Inability to urinate or pass feces (stool), or obvious pain associated with urinating or passing stool
- Injuries to your pet's eye(s)
- You suspect or know your pet has eaten something poisonous
- Seizures and/or staggering
- Fractured bones, severe lameness, or inability to move leg(s)
- Obvious signs of pain or extreme anxiety
- Heat stress or heatstroke
- Severe vomiting or diarrhea more than two episodes in a 24-hour period, or either of these combined with obvious illness or any of the other problems listed here
- Refusal to drink for 24 hours or more
- Unconsciousness



CAT LANGUAGE



©2015 Lili Chin - doggiedrawings.net - Creative Commons Licence BY-NC-ND

Cat Body Language



Body Language of Feline Anxiety





Major crouching

More Subtle Signs of Fear & Anxiety



Dilated Eyes



Ears Turned Back, Furrowed Brow



Staring, Focused on Object



Hiding, Looks Half Asleep



Laying on Side, Tail Flicking



Hair Raised, Staring, Ears Turned Back



Walking with Flat Back, Tail Down, Head Down



Ready to Jump Off Perch



Suddenly Grooming, Excessive Grooming

For additional Low Stress Handling information, posters, flyers, books, and DVDs, please visit our website at http://DrSophiaYin.com



Questions@cattledogpublishing.com

(530) 757-2383 — P.O. Box 4516, Davis, CA 95617

Support@lowstresshandling.com